

Author index

- Ahn, Y.M. 279
Almeida, L.P.A. 311
Arbatsky, N.P. 229
Asensio, J.L. 15
- Barili, P.L. 75
Bay, S. 153
Beldman, G. 299
Berthier-Vergnes, O. 153
Bisio, A. 335
Blaskó, A. 163
Bliard, C. 251
Blond, G. 139
Brisson, J.-R. 191
Buleon, A. 319
Bunel, S. 163
Bunton, C.A. 163
- Cantacuzene, D. 153
Cassady, J.M. 93
Catelani, G. 75
Catté, M. 139
Chandrasekaran, R. 105
Chrzczanowicz, I. 341
Colonna, P. 319
Cosentino, C. 335
Cottaz, S. 127
Cramer, C.J. 1
- D'Andrea, F. 75
De Rensis, F. 75
Driguez, H. 127
Dussap, C.G. 139
- El-Eter, K.A.A. 93
El-Massry, A.M. 123
El-Sadek, M.M. 123
Espinosa, J.F. 15
- Faidallah, H.M. 123
Falcini, P. 75
Fanton, E. 85
Farkas, E. 237
Fayet, C. 85
French, A.D. 1
Fujita, S. 65
Furuhata, K. 181
- Gasa, S. 201
Gelas, J. 85
Gray, G.R. 131, 243, 279
Gros, J.B. 139
Gyémánt, G. 237
- Hassan, S.Y. 123
Hisamatsu, M. 117
Hoos, R. 291
- Ibarra, C. 163
Ibrahim, E.I. 93
- Jachymek, W. 219
Jennings, H.J. 191
Jiménez-Barbero, J. 15
Jones, C. 311
- Kai, T. 181
Kandra, L. 237
Kenne, L. 219
Kim, J.M. 173
Kluge, M. 147
Knirel, Y.A. 229
Kobayashi, Y. 261
Kogan, G. 191
- Laignel, B. 251
Larsen, K.L. 59
Lipták, A. 237
Lugowski, C. 219
- Martín-Pastor, M. 15
Massiot, G. 251
Mathiesen, F. 59
Mendonça-Previato, L. 311
Mishima, T. 117
Moates, G.K. 327
Moraga, E. 163
Mori, T. 65
Myszka, H. 341
- Niedziela, T. 219
Noel, T.R. 327
Nuzillard, J.M. 251
- Ohnishi, M. 51
Okada, G. 51
Okahata, Y. 65
- Parker, R. 327
Petersson, C. 219
Planchot, V. 319
Previato, J.O. 311
- Radha, A. 105
Ring, S.G. 327
Rokushika, S. 51
Rollin, P. 127
Roy, R. 173

Rozanas, C.R. 243
Rupitz, K. 291

Sallam, M.A.E. 93
Santini, F. 335
Schneider, B. 147
Shashkov, A.S. 229
Sicker, D. 147
Sidorczyk, Z. 229
Simatos, D. 139
Smiatecz, Z. 341
Stephan, M.P. 311
Sun, X.-L. 181

Takayanagi, H. 181
Teranishi, K. 117
Truhlar, D.G. 1
Tsuchihashi, K. 201
Tsuchiya, T. 261

Uhrin, D. 191

Vasella, A. 291
Vincken, J.-P. 299
Voragen, A.G.J. 299

Wang, N. 131
Widmalm, G. 229
Wilkinson, S.G. 213
Winn, A.M. 213
Withers, S.G. 291

Yachida, Y. 201
Yamada, T. 117
Yates, E.A. 335
Yazaki, T. 51

Zimmermann, W. 59
Zych, K. 229

Subject index

- Acetal glucoside**
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
- Acetamido sugars**
Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
- Action pattern**
Action pattern of porcine pancreatic alpha-amylase on three different series of β -maltooligosaccharide glycosides 237
- Acyclic-sugar nucleosides**
Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93
- 4-Acylamino-4-deoxy-**
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Adhesion**
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
- 2-(L-Alanylamido)-2-deoxy-D-glucose**
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Amide proton shift**
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- Aminohexanol as a spacer arm**
Synthesis of α - and β -biotinylated T-antigen 153
- Aminohexanol Schiff base**
Synthesis of α - and β -biotinylated T-antigen 153
- Amino sugars**
Determination of acid dissociation constants of anomers of amino sugars by ^1H NMR spectroscopy 163
- Amylopectin acetate**
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- Amylose**
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Amylose triacetate**
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- exo-Anomeric effect**
Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
- O-Antigen**
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Aqueous-organic two-phase reactions**
Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β -D-galactosidase 65
- Arabinan**
X-Ray and conformational analysis of arabinan 105
- Azide derivatives**
Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- Bacterial polysaccharide, structure**
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Benzimidazole C-nucleosides**
Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93
- Benzimidazole, 2-(erythrofuransyl)-**
Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93
- Benzoic acid**
Separation and analysis of cyclodextrins by capillary zone electrophoresis 59
- Benzoxazinone**
Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
- Benzoylated**
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
- Binding affinity**
Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
- Biological activity**
The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
- α - and β -Biotinylated T-antigen**
Synthesis of α - and β -biotinylated T-antigen 153
- Borane–methyl sulfide**
Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131
- t*-Butoxycarbonylamino**
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- Capillary zone electrophoresis**
Separation and analysis of cyclodextrins by capillary zone electrophoresis 59
- Cello-oligosaccharides**
Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

- Chemoenzymatic synthesis
 Synthesis of α - and β -biotinylated T-antigen 153
- Computer simulation
 Modeling of the water-sucrose state diagram below 0 °C 139
- Conformation
 X-Ray and conformational analysis of arabinan 105
 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- Conformational analysis
 Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
- COSY
 Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- Coupling constants
 A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- Crystalline substrates, *A*-amylase
 Enzymatic hydrolysis of α -glucan crystallites 319
- Crystal melting
 The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Cyclodextrins
 Separation and analysis of cyclodextrins by capillary zone electrophoresis 59
- Deoxygenation
 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- 2-Deoxy-2-fluoro-glycosides
 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Dibekacin derivative
 Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- 5,6-Dihydro-4*H*-1,3-oxazine
 Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Dissociation constants
 Determination of acid dissociation constants of anomers of amino sugars by ¹H NMR spectroscopy 163
- Endoglucanase
 Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
- Enterobacteria
 Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Equine erythrocytes
 Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201
- Furans
 Synthesis and reactions of 5-(D-arabino-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-arabino-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
- β -D-Galactosidase
 Transglycosylation in a two-phase aqueous-organic system with catalysis by a lipid-coated β -D-galactosidase 65
- Glass transition
 Modeling of the water-sucrose state diagram below 0 °C 139
- D-Gluconhydroximolactam
 D-Gluconhydroximolactams strongly inhibit α -glycosidases 291
- β -Glucosidase
 Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
- Glucosidase inhibitors
 D-Gluconhydroximolactams strongly inhibit α -glycosidases 291
- Glucosinolates
 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Glucotropaeolin
 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Glycoside
 Reductive cleavage of permethylated polysaccharides with borane-methyl sulfide complex and butyltin trichloride 131
- O-Glycosides
 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- Glycosylation, stereoselective
 Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
- Glycuronic acid
 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- GM3, di-*O*-acetylated
 Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201
- Hafnia alvei*
 Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
- Heats of mixing
 The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Heterogeneous catalysis
 Enzymatic hydrolysis of α -glucan crystallites 319
- ¹H NMR
 Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- HOHAHA
 Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- HPLC
 Action pattern of porcine pancreatic alpha-amylase on three different series of β -maltooligosaccharide glycosides 237
- Hydrogen bond
 Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- Hydroxamic acid GDIMBOA, enantiomer of, synthesis of
 Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147
- Hyperconjugation
 Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
- Inductive effect
 Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

- Iso-sialic acids
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Jack bean α -mannosidase
D-Glyconhydroximolactams strongly inhibit α -glycosidases 291
- Kdn
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Lactose
Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- Lipid-coated enzymes
Transglycosylation in a two-phase aqueous-organic system with catalysis by a lipid-coated β -D-galactosidase 65
- Lipopolysaccharide
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Long-chain acetals
Long-chain acetals derived from sucrose as a new class of surfactants 85
- Maltooligosaccharides
Action pattern of porcine pancreatic α -amylase on three different series of β -maltooligosaccharide glycosides 237
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Methoxyisopropylation
Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- Methyl α -D-mannopyranoside
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
- Methyl α -lactoside
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- Methylated derivatives
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
- Molecular mechanics
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- MS
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- MS/MS
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
- Myrosinase
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Neisseria meningitidis*
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- NMR
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
Determination of acid dissociation constants of anomers of amino sugars by ^1H NMR spectroscopy 163
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- NMR spectroscopy
Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201
- NOESY
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- O Antigen
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
- Oligoglycine
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Oxadiazoles
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
- Oxo compound
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- Peptidomimetic
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Peptoid
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Peracetylated malto-oligosaccharides
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- Polyhydroxyalkyl heterocycles
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
- Polysaccharide
Reductive cleavage of permethylated polysaccharides with borane-methyl sulfide complex and butyltin trichloride 131
- Porcine pancreatic α -amylase
Action pattern of porcine pancreatic α -amylase on three different series of β -maltooligosaccharide glycosides 237
- Proteoglycan
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Proteus penneri*
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Pyridine- d_5
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

- Reductive cleavage
 Reductive cleavage of permethylated polysaccharides with borane-methyl sulfide complex and butyltin trichloride 131
 Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
 Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
- ROESY
 A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- Schizophyllan
 The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117
- L-Serinate glycosides
 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-arabino-hexopyranosid)uronates 341
- Sialic acid
 Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Solid-liquid equilibrium
 Modeling of the water-sucrose state diagram below 0 °C 139
- Solvation
 Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1
- Starch
 The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Starch acetate
 Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- Steady-state kinetics
 Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
- Stenotrophomonas maltophilia*
 Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213
- Stereoselective synthesis
 Synthesis of α - and β -biotinylated T-antigen 153
- Subsite
 Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51
- Subsite mapping
 Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
- Sucrose
 Long-chain acetals derived from sucrose as a new class of surfactants 85
 Modeling of the water-sucrose state diagram below 0 °C 139
- Sugar cyclic acetals
 Long-chain acetals derived from sucrose as a new class of surfactants 85
- Surfactants
 Long-chain acetals derived from sucrose as a new class of surfactants 85
- T-antigen
 Synthesis of α - and β -biotinylated T-antigen 153
- Thioglucosidase inhibitor
 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Thioglycosides
 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Transacetalation
 Long-chain acetals derived from sucrose as a new class of surfactants 85
- Transgalactosylation
 Transglycosylation in a two-phase aqueous-organic system with catalysis by a lipid-coated β -D-galactosidase 65
- Transglycosidation
 Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279
- 2,3:5,6:3',4'-Tri-*O*-isopropylidenelactose dimethyl acetal
 Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- 2,3:5,6:3',4'-Tri-*O*-isopropylidene-6'-*O*-(1-methoxy-1-methylethyl)lactose dimethyl acetal
 Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- Water
 Modeling of the water-sucrose state diagram below 0 °C 139
- Water sorption
 The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- X-ray structure
 X-Ray and conformational analysis of arabinan 105
- Xyloglucanase activity
 Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299
- D-Xylose
 New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Yeast α -glucosidase
 D-Glyconhydroximolactams strongly inhibit α -glycosidases 291
- Yeast glucan
 The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117

